

## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: **Liquid Glass Base**  
 Item Code: 1261  
 Product Use: Resin for lamination when used with liquid glass hardener  
 Restriction of Use: Refer to Section 15

Australian Supplier: **Norglass Paints**  
 Address: 59 Moxon Road  
 Punchbowl NSW 2196  
 Australia  
 Telephone: +61 2 9708 2200  
 Email: techinfo@norglass.com.au

New Zealand Supplier: xxx  
 Address: xxx  
 Telephone: 0508 724687

**Emergency Numbers:**  
**Australia: 13 1126 (Poisons Information Centre)**  
**New Zealand: 0800 764 766 (National Poison Centre)**

Date of SDS Preparation: 15 November 2023 v3

### Section 2. Hazards Identification

**Australia:**  
 Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

**New Zealand:**  
 This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

**EPA Approval No: Surface Coatings and Colourants (subsidiary) – HSR002670**

#### Pictograms



Signal Word: **DANGER**

GHS Classification and Category	Hazard Code	Hazard Statement
Skin irritation Cat. 2	H315	Causes skin irritation.
Eye irritation Cat. 2	H319	Causes serious eye irritation.
Skin sensitisation Cat. 1	H317	May cause an allergic skin reaction.
Specific target organ toxicity – repeated exposure Cat. 1	H372	Causes damage to organs through prolonged or repeated exposure.

Hazardous to the aquatic environment chronic Cat. 2	H411	Toxic to aquatic life with long lasting effects.
---	------	--

Prevention Code	Prevention Statement
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes, gas, mist or vapours.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing.

Response Code	Response Statement
P314	Get medical advice/attention if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P391	Collect spillage.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

### Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Low viscosity Epoxy resin	100%	25068-38-6

### Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Get immediate medical attention.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before re-use. If skin irritation or rash occurs: get medical advice/attention.
If Swallowed	Rinse mouth. If the victim is conscious give water or milk to drink to dilute the effect. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Seek medical attention if you feel unwell.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult or if you feel unwell.

#### Most important symptoms and effects, both acute and delayed

Symptoms:

<b>Ingestion:</b>	Not applicable.
<b>Inhalation:</b>	Not applicable.
<b>Skin:</b>	Causes skin irritation. May cause an allergic skin reaction.
<b>Eye:</b>	Causes serious eye irritation.

**Chronic:** Causes damage to organs through prolonged or repeated exposure. Some individuals may develop allergic reactions such as dermatitis or asthma like symptoms on a single significant skin exposure or may become sensitised to the materials on repeated contact. If cured material made using this product is to be cut or sanded ensure an appropriate dusk mask is worn. In addition to safety glasses. Epoxy resins are made by reactions involving EPICHLOROHYDRIN. Hence it is assumed that a very small amount of material will remain in the finished product. EPICHLOROHYDRIN has been classified as a Category 2 carcinogen. Therefore, it is imperative that all forms of exposure be eliminated.

**Section 5. Fire Fighting Measures**

<b>Hazard Type</b>	Non Flammable
<b>Hazards from combustion products</b>	Hazardous combustion products:- Carbon monoxide, carbon dioxide-toxic gases of combustion will not decompose with explosion.
<b>Suitable Extinguishing media</b>	Use water mist, foam, carbon dioxide or dry chemicals as extinguishing media
<b>Precautions for firefighters and special protective clothing</b>	Wear full body protection and self-contained breathing apparatus.
<b>HAZCHEM CODE</b>	<b>3Z</b>

**Section 6. Accidental Release Measures**

**Personal precautions:**

Wear protective equipment as detailed in Section 8. Clear area of any unprotected personnel.

**Environmental precautions:**

Adequate steps should be taken to prevent spillage reaching waterways and drains.

**Spill and Disposal procedures:**

Extinguish all sources of ignition. Spilt material should be absorbed into dry inert material such as sand, earth or sawdust and disposed by incineration by approved agent or local regulations.

**Section 7. Handling and Storage**

**Precautions for Handling:**

- Read carefully and follow all instructions.
- Do not handle until all safety precautions have been read and understood.
- Keep container tightly closed.
- Do not breathe fumes, gas, mist or vapours.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear protective clothing.

**Precautions for Storage:**

- Store away from incompatible materials listed in Section 10.
- Keep cool and container closed.

**Section 8 Exposure Controls / Personal Protection**

**WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 13TH EDITION.

### Engineering Controls

Use only in well ventilated areas. Introduce local exhaust ventilation were necessary.

### Personal Protection Equipment



<b>Eyes</b>	Wear safety goggles with side shields.
<b>Hands and Skin</b>	Wear chemical resistant gloves. Wear overalls and use barrier cream.
<b>Respiratory</b>	Avoid breathing vapour of dust by wearing AS1716 approved respirators.

## Section 9 Physical and Chemical Properties

<b>Appearance</b>	Clear/pale yellow low viscosity liquid with a mild odour.
<b>Odour</b>	Mild odour
<b>Odour Threshold</b>	Not applicable
<b>pH</b>	Not applicable
<b>Boiling Point</b>	Not measured
<b>Melting Point</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Flash Point</b>	>155°C
<b>Flammability</b>	Not applicable
<b>Upper and Lower Exposure Limits</b>	Not applicable
<b>Volatile Component</b>	Not applicable
<b>Vapour Density</b>	Not applicable
<b>Specific Gravity</b>	1.09
<b>Solubilities</b>	Insoluble
<b>Partition Coefficient:</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	Not applicable
<b>Kinematic Viscosity</b>	Not applicable
<b>Particle Characteristics</b>	Not applicable

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	This product is stable under normal conditions.
<b>Conditions to Avoid</b>	Avoid excess heating.
<b>Incompatible Materials</b>	Avoid contact with bases acids amines and oxidising agents.
<b>Hazardous Decomposition Products</b>	Hazardous polymerisation will not occur by itself, but irreversible polymerization will occur with amines resulting in considerable heat. Hazardous combustion products: - Carbon monoxide, carbon dioxide- toxic gases of combustion will not decompose with explosion. Dust created by sanding of cured products may cause a dust explosion hazard. Dust generated should be removed by vacuum.

**Section 11 Toxicological Information****Acute Effects:**

<b>Swallowed</b>	Not applicable
<b>Dermal</b>	Not applicable
<b>Inhalation</b>	Not applicable
<b>Eye</b>	Causes severe eye irritation.
<b>Skin</b>	Causes skin irritation. May cause an allergic reaction.

**Chronic Effects:**

<b>Carcinogenicity</b>	Not applicable
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Causes damage to organs through prolonged or repeated exposure.
<b>STOT/RE</b>	Not applicable.

**Section 12. Ecotoxicological Information**

Toxic to aquatic life with long lasting effects.

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available
<b>Precautions</b>	<b>Do not allow to enter waterways.</b>

**Individual component information (Please refer to [www.epa.govt.co.nz](http://www.epa.govt.co.nz) for full details):**  
**Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane (25068-38-6):**

Route	Species	Duration	Value LC50/EC50
Fish & Crustacean	-	28 day	<10 mg/L
Bioaccumulative	Not Determined		
Rapidly Degradable	No		

**Section 13. Disposal Considerations**

**Disposal Method:** Place recovered product into an appropriate waste container for disposal through appropriate waste company or specialized landfill in accordance with local regulations.

**Precautions:** Ensure waste container containing recovered product is labelled "Hazardous Waste – "Ecotoxic". If triple rinsing container, add rinsate to waste container for disposal.

**Disposal methods to avoid:** Do not allow to enter waterways.

**Section 14 Transport Information**

**This product is classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).**

**This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2020**



## Road, Rail, Sea and Air Transport

<b>UN No</b>	3082
<b>Class - Primary</b>	9
<b>Packing Group</b>	III
<b>Proper Shipping Name</b>	ENVIRONMENTALLY HAZARDOUS LIQUID, N.O.S
<b>Marine Pollutant</b>	YES
<b>Special Provisions</b>	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

### **Section 15 Regulatory Information**

#### **Australia:**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Classified as a **Schedule 5** Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### **New Zealand:**

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Surface Coatings and Colourants (subsidiary) – HSR002670

<b>HSW (HS) Regulations 2017 and EPA Notices</b>	<b>Trigger Quantity</b>
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000L
Emergency Response Plan	1000L
Secondary Containment	1000L
Restriction of Use	Only use for the intended purpose.

### **Section 16 Other Information**

#### **Glossary**

EC <sub>50</sub>	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.
LC <sub>50</sub>	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD <sub>50</sub>	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

#### References:

Australia:

1. Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
2. Standard for the Uniform Scheduling of Medicines and Poisons.
3. Australian Code for the Transport of Dangerous Goods by Road & Rail.
4. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
5. Workplace exposure standards for airborne contaminants, Safe work Australia.
6. American Conference of Industrial Hygienists (ACGIH).
7. Globally Harmonised System of classification and labelling of chemicals.

New Zealand:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices APRIL 2022 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian Manufacturer or New Zealand distributor, if further information is required.

Issue Date: 15 November 2023 Review Date: 15 November 2028