

Revision date 29-Jul-2019

Supersedes Date: 28-Jun-2017

**BOSTIK V60 SILICONE BLACK Revision Number** 2

·

\_\_\_

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

# 1.1. Product Identifier

Product Name BOSTIK V60 SILICONE BLACK

Pure substance/mixture Mixture

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.

Uses advised against No information available.

### 1.3. Details of the supplier of the safety data sheet

### **Company Name**

Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

### 1.4. Emergency telephone number

Emergency Telephone 24 Hr: 0800 243 622

+64 4 917 9888

Poison Centre: 0800 764 766

E-mail address SDS.AP@Bostik.com

# Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Acute toxicity - Oral	Category 4 (6.1D)
Serious eye damage/eye irritation	Category 2A (6.4A)
Skin sensitization	Category 1 (6.5B)

#### 2.2. Label Elements



Signal word Warning

## **Hazard statements**

H319 - Causes serious eye irritation

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

**BOSTIK V60 SILICONE BLACK** 

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 29-Jul-2019

\_\_\_

P272 - Contaminated work clothing should not be allowed out of the workplace

Skin

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

**Eyes** 

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

Ingestion

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

**Disposal** 

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical name	CAS No.	Weight-%
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime	37859-55-5	5 - <10
Methyl n-propyl ketoxime	623-40-5	1 - <3
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine	1760-24-3	0.1- <1
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	0.1- <1
2-Butanone, oxime	96-29-7	0.1- <1

<sup>\*\*\*</sup> Any remaining ingredients are not hazardous

# Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

**Inhalation** Remove to fresh air.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper

eyelids. Consult a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11:

TOXICOLOGY INFORMATION.

**BOSTIK V60 SILICONE BLACK** 

**Revision Number** 2 Supersedes Date: 28-Jun-2017

# Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

chemical

Specific hazards arising from the Keep product and empty container away from heat and sources of ignition.

Revision date 29-Jul-2019

5.3. Advice for firefighters

Special protective equipment for

Wear self-contained breathing apparatus and protective suit.

fire-fighters

### Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

# Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas.

7.2. Conditions for safe storage, including any incompatibilities

Handle in accordance with good industrial hygiene and safety practice. General hygiene considerations

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

No information available Incompatible materials

7.3. Specific end use(s)

Specific Use(s) Sealant.

Other information No information available.

7.4. References to Other Sections

**BOSTIK V60 SILICONE BLACK** 

Revision Number 2 Supersedes Date: 28-Jun-2017

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### **Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

OTHER INFORMATION No information available

8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**PPE - Personal Protection Equipment** 

Respiratory protection

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

**Hand protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask,

Revision date 29-Jul-2019

or for short periods of work, a combination of professional filter is recommended.

General hygiene considerationsDo not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

Environmental exposure controls No information available.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

Appearance Very viscous Paste

Color Black Odor Strong

Odor threshold No information available

Property Values Remarks • Method

**oH** 7

Melting point / freezing point
Boiling point / boiling range
Flash point
Evaporation rate

No data available
No data available
No data available
No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data available

**BOSTIK V60 SILICONE BLACK** 

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 29-Jul-2019

-

Relative density 1.023

Insoluble in water Water solubility Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available **Decomposition temperature** No data available No data available Kinematic viscosity No data available Dynamic viscosity **Explosive properties** No information available No information available **Oxidizing properties** 

9.2. Other information

Softening Point
Molecular weight
Solvent content (%)
Solid content (%)
No information available
No information available
No information available
No information available

**Density** No information available

Bulk density

No information available

VOC Content (%) 47 g/L

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Hazardous polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heat, flames and sparks.

10.5. Incompatible materials

**Incompatible materials**No information available.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

# Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

**Acute Toxicity** 

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

# **Component Information**

# **BOSTIK V60 SILICONE BLACK Revision Number** 2

·

Revision date 29-Jul-2019

Supersedes Date: 28-Jun-2017

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime 37859-55-5	LD50 =1234 mg/kg bw (Rat)(OECD guideline 425)	LD50 > 2000 mg/kg (Rat) EU Method B.3	-
Methyl n-propyl ketoxime 623-40-5	LD50 = 1133 mg/kg (Rat) OECD 425	-	-
N-[3-(Trimethoxysilyl)propyl]-1,2-et hanediamine 1760-24-3	= 2295 mg/kg ( Rat )	>2000 mg/Kg (Rat)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime 2224-33-1	LD50 > 2000 mg/kg (Rat) OECD 425	LD50 > 2009 mg/kg (Rat) OECD 402	-
2-Butanone, oxime 96-29-7	= 930 mg/kg (Rat)	1000 - 1800 mg/kg(Rabbit)	> 4.83 mg/L (Rat)4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available. Skin corrosion/irritation Serious eye damage/eye irritation No information available. No information available. Sensitization Germ cell mutagenicity No information available. Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Target organ effects** No information available. **Aspiration hazard** No information available.

Carcinogenicity The following substance(s) are classified in Annex VI CLP (1272/2008) as carcinogenic.

# Section 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

### **Ecotoxicity**

#### **Product Information**

None known.

# **Component Information**

Data obtained on the component(s) include

Chemical name	Algae/aquatic plants	Fish	Crustacea
2-Pentandione,	EC50 (72h) = 88 mg/L	LC50 (96h) >113 mg/L	EC50 (48h) >100 mg/L Waterflea
O,O',O"-(methylsilylidyne)trioxime	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss) Static	(Daphnia magna) static
37859-55-5	OECD 201	(OECD Guideline 203)	(OECD guideline 202)
Methyl n-propyl ketoxime	EC50 (72h) = 54 mg/L	LC50 (96h) > 100 mg/L	EC50 (48h) > 100 mg/l (Daphnia
623-40-5	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss) OECD	magna) OECD Guideline 202
	OECD 201	Guideline 203	
N-[3-(TrimethoxysilyI)propyl]-1,2-et	-	LC50 (96H) =597 mg/L Fish (Danio	EC50 (48h) =81mg/L Daphnia
hanediamine		rerio)Semi-static	magna Static
1760-24-3			
Butan-2-one	EC50 (72h) = 16 mg/L	LC50 (96h)> 120 mg/L	EC50 (48h) > 120 mg/L (Daphnia
O,O',O''-(vinylsilylidyne)trioxime	(Pseudokirchneriella subcapitata)	(Oncorhynchus mykiss) OECD 203	magna) OECD 202
2224-33-1	OECD 201		
2-Butanone, oxime	EC50: =83mg/L (72h,	LC50: =760mg/L (96h, Poecilia	EC50: =750mg/L (48h, Daphnia
96-29-7	Desmodesmus subspicatus)	reticulata) LC50: 777 - 914mg/L	magna)
		(96h, Pimephales promelas) LC50:	
		320 - 1000mg/L (96h, Leuciscus	
		idus)	

# 12.2. Persistence and degradability

No information available.

**BOSTIK V60 SILICONE BLACK Revision Number** 2

Revision Number 2 Supersedes Date: 28-Jun-2017

Revision date 29-Jul-2019

# 12.3. Bioaccumulative potential

There is no data for this product.

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
2-Pentandione,	1.25	3.1
O,O',O"-(methylsilylidyne)trioxime		
37859-55-5		
Methyl n-propyl ketoxime	1.43	-
623-40-5		
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanedi	-0.3	-
amine		
1760-24-3		
Butan-2-one	1.69	5.8
O,O',O"-(vinylsilylidyne)trioxime		
2224-33-1		
2-Butanone, oxime	0.65	5.8
96-29-7		

# 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical name	PBT and vPvB assessment
2-Pentandione, O,O',O"-(methylsilylidyne)trioxime 37859-55-5	The substance is not PBT / vPvB
Methyl n-propyl ketoxime 623-40-5	The substance is not PBT / vPvB
N-[3-(Trimethoxysilyl)propyl]-1,2-ethanediamine 1760-24-3	The substance is not PBT / vPvB
Butan-2-one O,O',O"-(vinylsilylidyne)trioxime 2224-33-1	The substance is not PBT / vPvB
2-Butanone, oxime 96-29-7	The substance is not PBT / vPvB

### 12.6. Other adverse effects

No information available.

# Section 13: DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# Section 14: TRANSPORT INFORMATION

IMDGNot regulatedIATANot regulatedADRNot regulated

# Section 15: REGULATORY INFORMATION

**BOSTIK V60 SILICONE BLACK Revision Number** 2

·

Revision date 29-Jul-2019

Supersedes Date: 28-Jun-2017

\_\_\_

**National Regulations** 

ERMA Group HSR002670

# **Section 16: OTHER INFORMATION**

# Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 29-Jul-2019

Revision note Not applicable.

Training Advice No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**